



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Orissa)

To,

The CHIEF OPERATING OFFICER
 CHETTINAD CEMENT CORPORATION LIMITED
 4th Floor, Rani Seethai Hall Building, 603, Anna Salai, Chennai 603, RANI
 SEETHAI HALL BLDNG ,4TH FLOOR FLR, ANNA SALAI -600006

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
 under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
 in respect of project submitted to the SEIAA vide proposal number
 SIA/OR/IND/29765/2018 dated 27 Sep 2019. The particulars of the environmental
 clearance granted to the project are as below.

1. EC Identification No.	EC21B009OR190647
2. File No.	29765/08-IND/09-2019
3. Project Type	New
4. Category	B1
5. Project/Activity including Schedule No.	3(b) Cement plants
6. Name of Project	Proposed Cement Grinding Unit capacity 2X1.0 MTPA (PPC, PSC, OPC & GGBS) at Kalinganagar Industrial Complex, District- Jajpur, Odisha of M/s Chettinad Cement Corporation Private Limited
7. Name of Company/Organization	CHETTINAD CEMENT CORPORATION LIMITED
8. Location of Project	Orissa
9. TOR Date	31 Jul 2019

The project details along with terms and conditions are appended herewith from page
 no 2 onwards.

Date: 21/12/2021

(e-signed)
Sri Susanta Nanda
 Member Secretary
 SEIAA - (Orissa)

*Note: A valid environmental clearance shall be one that has EC identification
 number & E-Sign generated from PARIVESH. Please quote identification
 number in all future correspondence.*

This is a computer generated cover page.





STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY ODISHA, BHUBANESWAR

(Constituted under the EP Act, 1986 and EIA Notification, 2006 by the MoEF & CC, Govt. of India)
SRF-2/1, Unit-IX, Bhubaneswar-751022, Tel: 0674-2541029, E-mail-seiaaorissa@gmail.com

Letter No. _____

Dt. _____

SEIAA File No: 29765/08-IND/09-2019

Project: Proposal of EC of M/s Chettinad Cement Corporation Pvt. Ltd. for Setting up of Proposed 2x1.0 MTPA Cement Grinding Unit at Kalinganagar Industrial Complex, Tahasil- Dangadi, District- Jajpur -- Environmental Clearance Regarding.

Ref: Your online application dated 27.09.2019 for issue of EC vide File No: SIA/OR/IND/29765/2018

Sir,

This has reference to your online application seeking environmental clearance of the above mentioned project. The project falls under Category "B", Project or Activity 3 (b) as per schedule of EIA Notification, 2006, as amended from time to time. The proposal has been appraised as per the provisions under the EIA Notification 2006 and on the basis of the documents enclosed with the application such as Form-I, Prefeasibility report, Form-2, final report of EIA/EMP, Public hearing proceedings and clarifications furnished to SEAC/SEIAA in response to their observations.

Background:

1. The proposal is for Environmental Clearance for M/s Chettinad Cement Corporation Pvt. Ltd. for proposed 2x1.0 MTPA Cement Grinding Unit for production of PPC, PSC, OPC & GGBS cement, over an area of 83.0 Ac. situated at- Kalinganagar Industrial Complex, Tahasil - Danagadi, District- Jajpur of Mr. A. Annadurai.
2. The total revised project area is 77.50 acres. About 30 acres of the total project area will be covered under green belt & plantation with vacant area.
3. The proponent had initially proposed to set up the plant over 83.00 acres of land allotted by IDCO. Subsequently, the concerned DFO had certified that out of 83.00 acres of land, 76.48 acres of land has been diverted in favour of IDCO under

Forest (Conservation) Act, 1980 and 1.02 acres is Rasta Kisam. About 5.50 acres of land has not been diverted under Forest (Conservation) Act, 1980. The proponent has surrendered 5.50 acres of forest land, out of 83 acres of land. The proponent has also intimated that 1.02 acres of Rasta Kisam land has been converted for industrial use. The proponent will setup the cement grinding plant over 77.50 acres of land. The proponent shall convert 1.02 acres of Rasta Kisam land for industrial use from appropriate revenue authority before going for construction activity on this Rasta Kisam land. The project proponent has submitted that 77.50 acres of project area will be bounded with boundary wall and 5.50 acres of land will not be utilized for project purpose.

4. The coordinates of the project area are Latitude - 20°56'9.54" N and Longitude - 86°03'14.12" E. The project site is well connected with road and rail. Nearest town is Duburi located at a distance of 7.0 Km from the project site. National Highway (NH-200) is at a distance of 8.0 Km from the project site. Nearest village is Jakhapura Village-1.0 Km.
5. The project proponent has submitted that there is no National Park, Wildlife Sanctuary, Biosphere Reserve, Tiger / Elephant Reserve, Wildlife Corridor etc. within 10 km radius of the plant site. The total Cost of the project will be Rs. 120 Crores. Capital cost for environmental protection measures will be Rs. 290.00 lakhs and Recurring cost would be Rs. 30.0 Lakhs.
6. The project proponent has submitted that raw materials required for the proposed project are Clinker, Slag, Gypsum & Fly ash. Clinker is proposed to be sourced from CCCPL's units established at Ariyalur, Ariyalur District, Tamil Nadu. Fly ash from nearby Thermal power plants. Gypsum will be procured from Pardeep Phosphate / IFFCO (110 Kms.) and slag would be procured from Jindal Stainless Limited, Tata Steel, Neelachal Ispat Ltd. Kalinganagar. Transportation of raw material and product (cement) would be done by road and railway. Cooling Tower blow down will be re-circulated through cooling and treatment. The entire treated waste water will be recycled for various purposes inside the plant. Waste water generated from plant will be treated in the existing STP. The treated water from STP will be used for dust suppression & green belt development. Zero liquid discharge concept from plant operation shall be adopted.
7. The total water requirement of proposed project is 100 KLD and it will be sourced from IDCO water supply from nearby Brahmani River.
8. The total power requirement for the proposed project will be 10 MVA which will be sourced from Odisha Power Transmission Corporation Limited. Total nos. of employees will be 185Nos.
9. High efficient bag filters will be installed to maintain particulate matter emissions within permissible limit. Domestic effluent will be treated in STP and treated water

will be used for plantation.

10. Dust collected from various pollution control equipment will be recycled back into the process. STP Sludge will be utilized as manure for plantation. Used oil will be sold to re-processors.
11. Earmuffs will be provided to all operators and employees working near the machinery to control noise pollution.
12. The project proponent has submitted that within plant, roof top rainwater harvesting shall be implemented. Harvested rain water will be recharged through a recharge pond (12m x 10m x 6m) to increase the ground water level of the area as per guidelines prescribed by CPCB. A part of rain water shall be preserved for plant use during lean season.
13. The baseline data collected from March'2019 to May'2019 (Pre - monsoon).
14. The Terms of Reference(ToR) was issued by SEAC vide letter no. 1092/SEAC-173, dated 14.12.2018 for undertaking detailed EIA study. Public Hearing was conducted on 06.03.2019. The main issues raised by public were on environment, employment, education, health, greenbelt development, local development, etc.
15. The Environment consultant M/s Visiontek Consultancy Services Pvt. Ltd., Bhubaneswar along with the project proponent has made a detailed presentation on the EIA/EMP report on 27.11.2019.
16. The project proponent furnished additional information / documents on the project to SEAC and the SEAC verified the same on 17.06.2020, 12.08.2020, 09.04.2021, 13.09.2021.
17. The Sub-Committee of SEAC conducted site visit on 11.10.2021 and have recommended for grant of environmental clearance in favour of the project.
18. The SEAC considered the proposal for EC on 08.11.2021 and recommended for grant of Environmental Clearance for the project valid for a period of 7 years, stipulating various conditions.

The State Environment Impact Assessment Authority (SEIAA) after considering the proposal and recommendations of SEAC, Odisha hereby accords Environmental Clearance in favour of the project valid for a period of 7 years under the provisions of EIA Notification 2006 and subsequent amendments thereto subject to strict compliance of all stipulated conditions, as follows.

Stipulated Conditions:

A. Specific Conditions:

1. The environmental clearance is granted for cement grinding unit of following production capacity.

Product	Capacity
Portland Slag Cement (PSC)	2.0 MTPA
Portland Pozzolona Cement (PPC)	
Ordinary Portland Cement (OPC) & Granulated Ground Blast Furnace Slag (GGBS)	

1. The proponent had initially proposed to set up the plant over 83.00 acres of land allotted by IDCO. Subsequently, the concerned DFO had certified that out of 83.00 acres of land, 76.48 acres of land has been diverted in favour of IDCO under Forest (Conservation) Act, 1980 and 1.02 acres is Rasta Kisam. About 5.50 acres of land has not been diverted under Forest (Conservation) Act, 1980. The proponent has surrendered 5.50 acres of forest land, out of 83.00 acres of land. The proponent has also intimated that 1.02 acres of Rasta Kisam land has been converted for industrial use. The proponent will setup the cement grinding plant over 77.50 acres of land. The proponent shall convert 1.02 acres of Rasta Kisam land for industrial use from appropriate revenue authority before going for construction activity on this Rasta Kisam land. The project proponent has submitted that 77.50 acres of project area will be bounded with boundary wall and under no circumstances, the proponent shall carryout any construction activity over the 5.50 acres of surrendered forest land.
2. The proponent shall use treated recycled water (treated after domestic utility) in dust suppression and plantation etc. to adopt ZLD concept.
3. Inversion study shall be carried out by an expert agency of national repute preferably Govt. agency and the study report shall be submitted within 2(two) months of commercial operation of the plant and mitigation measures as and if necessary thereof to SEIAA, Odisha.
4. Traffic density study shall be carried out through a Govt. Institution and the study report shall be submitted within 2(two) months of commercial operation of the plant and mitigation measures as and if necessary thereof to SEIAA, Odisha.
5. The proponent shall carryout regular periodical health checkup of their employees. As proposed, the proponent shall provide One Mobile Medicare Unit for door step services in villages and also provide medicine with free of

cost. They shall operate a full time Occupational Health Centre with a qualified full time doctor, once the plant will be in operation as proposed.

6. Use of phospho-gypsum being generated from fertilizer plants in Odisha shall be explored in reference to quality requirement of the proponent and cost benefit analysis as well.

B. General Conditions:

I. Statutory compliance:

1. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
2. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
3. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report, (in case of the presence of schedule-1 species in the study area)
4. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
5. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
6. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
7. The construction and demolition wastes to be generated from the proposed project shall be disposed of in accordance with the provisions of "Construction & Demolition Wastes Management Rules 2016".
8. Municipal Solid Waste shall be disposed off as per the Solid Waste Management Rules, 2016 and amendment thereafter.

II. Air quality monitoring and preservation:

1. The project proponent shall install 24x7 continuous online emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E)

dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.

2. As laid down in MoEF & CC, Govt. of India guidelines vide G.S.R. No. 612 (E) dated 25th August, 2014 and subsequent amendment dated 9th May, 2016 and 10th May, 2016 regarding cement plants with respect to particulate matter, SO₂ and NO_x, the prescribed standards to be followed is as follows:
 - (i) PM-30 mg/Nm³
 - (ii) SO₂-100 mg/Nm³, 700 mg/Nm³ and 1000 mg/Nm³ when pyritic sulphur in the limestone is less than 0.25%, 0.25% to 0.5% and more than 0.5% respectively.
 - (iii) NO_x-600 mg/Nm³
2. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
3. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM₁₀ and PM_{2.5} in reference to PM emission, and SO₂ and NO_x in reference to SO₂ and NO_x emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
4. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to the SEIAA, Odisha, Regional Office of MoEF & CC, Zonal office of CPCB and Regional Office of SPCB along with six- monthly monitoring report.
5. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
6. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
7. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
8. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
9. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
10. Provide wind shelter fence and chemical spraying on the raw material stock

- piles and have separate truck parking area and monitor vehicular emissions at regular interval.
11. The proponent shall provide designated parking space, both inside and outside the plant to avoid traffic congestion and conflict.
 12. The proponent shall not use pet coke as fuel in Hot Air Generator (HAG).
 13. The proponent shall install permanent water sprinklers either on internal roads or dust prone area at loading-unloading, transfer, transportation inside the plant to control fugitive emission.
 14. All the bag filter dust, raw mill dust, coal dust, clinker dust and cement dust from pollution control devices shall be recycled and reused in the process and used for cement manufacturing. Spent oil and batteries shall be sold to authorized recyclers / re-processors only.

III. Water quality monitoring and preservation:

1. The total water requirement of proposed project is 100 KLD and it will be sourced from IDCO water supply from nearby Brahmani River. No water is allowed to be sourced by tapping from underground or from bore well etc without prior permission from the competent authority. The PP shall make necessary arrangements to create adequate pondage by storing more rainwater inside the plant premises and use the same to reduce water consumption to the minimum possible. The PP shall install water meter at the drawal point and at the various consumption points within the plant and these meters will be monitored to keep a check on quantum of water drawal and quantum of recycling.
2. The project proponent shall install Continuous Online Effluent Monitoring System with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
3. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
4. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to SEIAA, Odisha, Regional Office of MoEF & CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring

report.

5. All the treated wastewater shall be recycled and reused in the process and/or for dust suppression and green belt development and other plant related activities etc. No wastewater shall be discharged outside the factory premises and 'Zero Liquid Discharge (ZLD)' shall be adopted.
6. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
7. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off
8. The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
9. Water meters shall be provided at the inlet to all unit processes in the cement plant.
10. The project proponent shall make efforts to minimize water consumption in the cement plant complex by segregation of used water, practicing cascade use and by recycling treated water.

IV. Noise monitoring and prevention:

1. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to SEIAA, Odisha as well as Regional Office of the MoEF & CC, Govt. of India, Bhubaneswar as a part of six-monthly compliance report.
2. The ambient noise levels should conform to the standards prescribed under Environment(P)Act Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures:

1. Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly. The proponent shall use Solar / Renewable energy of 5 % of the expected actual power requirement.
2. The project proponent shall provide LED lights in their offices and residential areas.
3. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.

VI. Waste management:

1. The waste oil, grease and other hazardous shall be disposed of as per the Hazardous & Other waste (Management & Trans-boundary Movement) Rules, 2016.
2. Garbage / food waste from Colony, Canteen & Guest House shall be used for vermi composting and to be used as manure for green belt development.
3. Ash generated from Hot Air generator (HAG) and dust generated from APC devices shall be completely reused in cement manufacturing process. Spent oil and batteries shall be sold to authorized recyclers / re-processors only.
4. STP sludge shall be used as manure for greenbelt development / plantation.

VII. Green Belt Development:

1. Green belt shall be developed in an area equal to 33% (as proposed in an area of 30 acres for greenbelt & vacant area) of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant. The greenbelt plantation shall be developed in a time bound manner and completed within 5 years.
2. The proponent shall make plantation in the gap area to have uniformity alongside the boundary / periphery of the project including developing a suitable nursery as well.
3. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues:

1. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
2. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
3. The proponent shall comply with the issues raised in the proceedings of the public hearing held on 06.03.2019 and implement action plan within a stipulated time frame of 5 years.
4. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
5. Occupational health surveillance of the workers shall be done on a regular basis

and records maintained as per the Factories Act.

IX. Corporate Environment Responsibility:

1. As per the MoEF & CC, Govt. of India Office Memorandum dated 30.09.2020, the project proponent is required to prepare and implement Corporate Environment Responsibility (CER) Plan. In this context, the company has identified certain areas, to be considered for imparting the Corporate Environment Responsibility (CER) activities. As proposed, the company shall invest Rs. 1.845 crores on the CER activities, which is about 1.5 % of the total project cost (Rs. 120 Crores) based on local needs. Action plan with financial and physical breakup/details shall be prepared and submitted to the Ministry's Regional Office located at Bhubaneswar. Implementation of such program shall be ensured accordingly in a time bound manner. This fund shall be utilized over a period of 5 years.
2. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the SEIAA, Odisha as well as MoEF&CC as a part of six-monthly report.
3. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
4. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the SEIAA, Odisha, Regional Office, MoEF&CC, Govt. of India, Bhubaneswar, SPCB, Odisha along with the Six Monthly Compliance Report. The project proponent shall also upload the six monthly compliance report in the website of ministry. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.

5. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
6. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.

x. Miscellaneous:


1. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising in at least two local Newspapers of the District or State widely circulated, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the SEIAA, Odisha. The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the Regional Office of MoEF&CC, Bhubaneswar and in addition this shall also be displayed in the project proponent's website permanently.
2. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
3. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
4. The project proponent shall monitor the criteria pollutants level namely; SPM, PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
5. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
6. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the Odisha State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF & CC, Govt. of India by E-mail.

7. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
8. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
9. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during presentation before the State Level Expert Appraisal Committee.
10. No expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, Odisha.
11. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
12. The SEIAA, Odisha may revoke or suspend the EC order, if implementation of any of the above conditions is not satisfactory.
13. The SEIAA, Odisha reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
14. The Regional Office of the MoEF & CC, Govt. of India, Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
15. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans-boundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject

matter.


16. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Yours faithfully,


Member Secretary

Copy to:

1. **Joint Secretary (Environment)**, Ministry of Environment, Forests and Climate Change Govt. of India, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110003 for information.
2. **Additional Chief Secretary**, Forests & Environment Dept., Government of Odisha for information.
3. **Member Secretary**, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-8, Bhubaneswar for information.
4. **Additional Principal Conservator of Forests**, Regional Office (EZ), Ministry of Environment & Forests, A-31, Chandrasekharpur, Bhubaneswar for information.
5. **Member Secretary**, CGWA, 18/11, Jamnagar House, ManSingh Road, New Delhi-110011 for information.
6. **Collector, District Magistrate**, Jaipur, for kind information and necessary action.
7. **Secretary**, SEAC, Paribesh Bhawan, A/118, Nilakantha Nagar, Unit-VIII, Bhubaneswar for kind information.
8. Guard file for record/Website/Parivesh Portal.


Member Secretary