

CCCPL/VGU/Works/ENV/2020-004

25<sup>th</sup> November, 2020**Director (SEZ)****Ministry of Environment, Forests and Climate Change**

Government of India, Regional Office (SEZ)

1<sup>st</sup> and II<sup>nd</sup> Floor, Handloom Export Promotion Council

34, Cathedral Garden Road, Nungambakkam, Chennai – 600 034

Dear Sir,


**Sub :** Submission of Six Monthly EC Compliance (Apr'19 - Sep'20)– Vizag Grinding Unit (2 X 1.0 MTPA) of Chettinad Cement Corporation Private Limited at Tallapalem Village, Kasimkota Mandal, Visakhapatnam District, Andhra Pradesh State.

**Ref :** Environmental Clearance granted by SEIAA , AP vide Order No. SEIAA/AP/IND/06/2016-122, dated 27th Nov, 2018

We submit herewith the **Six Monthly Environmental Clearance Compliance Report** pertaining to our proposed Cement Grinding Unit (2 X 1.0 MTPA) located at Tallapalem Village, Kasimkota Mandal, Visakhapatnam District, Andhra Pradesh State for the period from Apr'19 - Sep'20.

The Consent for Establishment has been obtained from AP Pollution Control Board. Construction started from April-2019.

Yours faithfully

For **Chettinad Cement Corporation Private Limited**

**N Venkat Raju**  
**Joint President**

Encl: Compliance Reports stated as above

Copy to: Director (Industries), MoEF, New Delhi/Director (Non-Coal Mining), MoEF, New Delhi  
Member Secretary, CPCB, New Delhi/Scientist 'E' & In-charge ,CPCB, Bangalore  
Member Secretary, APPCB/EE, RO,APPCB, Visakhapatnam

**CHETTINAD CEMENT CORPORATION PRIVATE LIMITED**  
**VIZAG GRINDING UNIT**

Tallapalem Village, Kasimkota Mandal, Visakhapatnam District, Andhra Pradesh State

**Vizag Grinding Unit**

**Environmental Clearance (EC) Compliance Report (Apr'20 - Sep'20)**

(Environmental Clearance granted by SEIAA, Andhra Pradesh vide Order No. SEIAA/AP/IND/06/2016-122, dated 27<sup>th</sup> Nov, 2018 for a Grinding of Cement 2 x 1.0 million TPA)

**A. Specific Conditions**

| S.No                          | Condition                                                                                                                                                                     | Compliance Status                                                                                                   |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>A. Special Conditions:</b> |                                                                                                                                                                               |                                                                                                                     |
| i                             | The transportation of raw material and finished product through railways/waterways shall be more than 90% of the traffic.                                                     | Not applicable as corrigendum received for same point in amendment no. SEIAA/AP/VSP/IND/06/2016-122 dtd. 03.05.2019 |
| ii                            | The Project Proponent shall comply with the CRZ Regulations 2011 and amendments thereof                                                                                       | Not applicable as corrigendum received for same point in amendment no. SEIAA/AP/VSP/IND/06/2016-122 dtd. 03.05.2019 |
| iii                           | The industry shall arrange for acoustic barriers and locate roll mills and ball mills within those barriers.                                                                  | Accepted                                                                                                            |
| iv                            | All the internal roads shall be paved CC or bitumen roads, adequate closed silos for storage of fly ash and clinker and covered shed for storage of gypsum shall be provided. | Will be compiled                                                                                                    |
| v                             | The industry shall provide bag filters for cement grinding unit to meet SPM requirement of 30 mg /Nm <sup>3</sup> and at all transfer points.                                 | Will be compiled                                                                                                    |
| vi                            | The industry shall procure suitable road sweeping machine to maintain good house keeping.                                                                                     | Will be compiled                                                                                                    |
| vii                           | The industry shall install continuous ambient air quality monitoring station.                                                                                                 | Will be compiled                                                                                                    |
| viii                          | The industry shall install online continuous stack monitoring for the cement mill grinding unit                                                                               | Will be compiled                                                                                                    |



**B. Specific Conditions:****a) Air pollution:**

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                         |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| i   | The industry shall provide air pollution control equipments to control stack (Stack height 2 x 50 mtrs) and fugitive emissions to meet the standards notified by MoEF/CPCB/APPCB.                                                                                                                                                                                                                                                                                                          | Will be complied                                                                                                                                                                                                                                                        |
| ii  | Sampling Port with removable dummy of not less than 15cm diameter in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc., shall be provided to monitor stack emissions.                                                                                                                                                                                                                                                            | Will be complied                                                                                                                                                                                                                                                        |
| iii | Ambient air quality including ambient noise levels must not exceed the standards stipulated under EPA or by the State authorities. Monitoring of ambient air quality and stack emissions shall be carried out regularly in consultation with APPCB and report submitted to the Board and to the Ministry's Regional Office at Chennai half yearly.                                                                                                                                         | Will be complied                                                                                                                                                                                                                                                        |
| iv  | Raw materials and products shall be transported in covered racks. Storage of raw material shall be in roof sheds/silos. Water spray system shall be provided all around the stockpiles and dust suppression system around the conveyor system. All the conveyor belts shall be covered with G.I. Sheets. All the roads in the plant area shall be asphalted / concreted and water sprayed to reduce the fugitive dust emissions.                                                           | Accepted will be complied with.                                                                                                                                                                                                                                         |
| v   | In-plant control measures for checking fugitive emissions from all the vulnerable sources like spillage/raw materials handlings etc. shall be provided. Further, specific measures like provision of adequate dust suppression & extraction system consisting of water sprinkling, suction hoods, fans and bag filters etc. shall be installed at material transfer points, and other raw material handling areas. Fugitive emissions shall be regularly monitored and records maintained. | Fugitive control measures will be taken at all sources by adequate dust suppression & extraction system consisting of water sprinkling, suction hoods, fans and bag filters etc. shall be installed at material transfer points, and other raw material handling areas. |
| vi  | Interlocking facility should be provided in the pollution control equipment so that in the event of the pollution control equipment not working, the feeding of raw materials is stopped automatically.                                                                                                                                                                                                                                                                                    | Interlocking facilities will be provided                                                                                                                                                                                                                                |

**b) Water pollution:**

|    |                                                                                                                                                                                                                                                                                                                                          |                  |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| i  | The source of water is bore well. Total water requirement is 450 KLD. Out of that 25.0 KLD is used for dust suppression, 3.4 KLD is used for cooling; 110 KLD is used for development of green belt and 11 KLD is used for domestic purpose. The Sanitary waste water of 8.8 KLD is to be disposed into septic tank followed by soak pit | Will be complied |
| ii | The company must harvest the rainwater from the rooftops and storm water drains to recharge the ground water.                                                                                                                                                                                                                            | Will be complied |

**c) Solid Waste :**

|   |                                                                                                                                                                                                                                                                                |                  |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| i | Dust generated from the Bag filters shall be completely recycled. Waste oils & used oils generated from the plant shall be disposed as per the Hazardous wastes (Management and Handling) transboundary rules and its amendments thereof to the recyclers authorized by APPCB. | Will be complied |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|

**C. General Condition**

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                      |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| i   | <b>This order is valid for a period of 7 years.</b>                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                      |
| ii  | "Consent for Establishment" shall be obtained from Andhra Pradesh Pollution Control Board under Air and Water Act before the start of any activity / construction work at site.                                                                                                                                                                                                                                                                                        | Consent to Establishment received from AP Pollution Control Board<br><b>Order No. 462/APPCB/CFE/RO-VSP/HO/2018 dated. 28/01/2019</b> |
| iii | Provision shall be made for the housing of the construction labour within the site with all necessary infrastructure and facilities such as safe drinking water, fuel for cooking, mobile toilets, mobile STP, medical health care, crèche etc., The housing may be in the form of temporary structures to be removed after the completion of the project. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured. | Labour sheds constructed on site with all necessary infrastructure.                                                                  |
| iv  | No change in the process technology and scope of working should be made without prior approval of the SEIAA, A.P. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA, AP/ MoE&F, Gol, New Delhi, as applicable.                                                                                                                                                                                               | Accepted                                                                                                                             |
| v   | The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment & Forests, its Regional Office, Chennai, SEIAA, A.P., Zonal Office of Central Pollution Control Board, Bangalore, District Collector and A.P. Pollution Control Board. The pfoponent shall upload                | Will be submitted                                                                                                                    |

|      |                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|      | the status of compliance of the environmental clearance conditions including results of monitored data on their websites and shall update the same periodically.                                                                                                                                                                                                                                      |                                                                                                                                |
| vi   | Four ambient air quality-monitoring stations should be established in the core zone as well as in the buffer zone for monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. | 04 ambient air quality-monitoring stations will be established for monitoring in consulting with State Pollution Control Board |
| vii  | Data on ambient air quality should be regularly submitted to the Ministry including its Regional Office located at Chennai and the State Pollution Control Board/ Central Pollution Control Board once in six months.                                                                                                                                                                                 | Will be submitted regularly                                                                                                    |
| viii | Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.                                                                                                                                                                                                                     | Accepted                                                                                                                       |
| ix   | Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.                                                                                                                                                                                                                | Accepted                                                                                                                       |
| x    | A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.                                                                                                                                                                                                        | Accepted                                                                                                                       |
| xi   | The funds earmarked for environmental protection measures (Capital cost Rs.10.0 Crores & Recurring cost of Rs 30.0 Crores/annum) should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office located at Chennai.                                                                                | Accepted                                                                                                                       |
| xii  | At least 2% of the total project cost shall be allocated for Corporate Environment Responsibility (CER) and item-wise details along with time bound action plan shall be prepared in accordance to the MoEF&CC's office Memorandum No.F.No.22- 65/2017- IA.III, dated.01.05.2018 and submit to the SEIAA, A.P and Ministry's Regional Office, Chennai.                                                | Accepted                                                                                                                       |
| xiii | The Regional Office of MOEF&CC located at Chennai / The SEIAA, Andhra Pradesh through the Regional Offices of Andhra Pradesh Pollution Control Board shall, monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports                         | Accepted                                                                                                                       |

*Valley*

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                   |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| xiv   | The project proponent shall submit the copies of the environmental clearance to the Heads of local bodies i.e., Panchayats / Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.                                                                                                                                                                                                  | Submitted to the Heads of local bodies i.e., Panchayats / Municipal Bodies on 08th Dec 2019                                                                                                                                                                                                                                                       |
| xv    | The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and SEIAA, A.P. This order shall be displayed in the website of the project proponent. | Advertisement published in two newspapers widely circulated viz., ANDHRA BHOO MI in Telugu and DECCAN CHRONICLE dated 12 <sup>th</sup> Dec, 2018 in English informing the public that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and SEIAA, AP. |
| xvi   | Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.                                                                                                                                                                                                                                                                  | Noted                                                                                                                                                                                                                                                                                                                                             |
| xvii  | The company shall undertake eco-development measures including community welfare measures in the project area.                                                                                                                                                                                                                                                                                                                                                                 | Accepted                                                                                                                                                                                                                                                                                                                                          |
| xviii | The proponent shall obtain all other mandatory clearances from respective departments.                                                                                                                                                                                                                                                                                                                                                                                         | Noted                                                                                                                                                                                                                                                                                                                                             |
| xix   | Concealing the factual data or failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.                                                                                                                                                                                                                                                          | Accepted                                                                                                                                                                                                                                                                                                                                          |
| XX    | The SEIAA may revoke or suspend the order, if implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.                                                                                                                                                                                                               | Accepted                                                                                                                                                                                                                                                                                                                                          |
| xxi   | The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.                                                                                                                                                           | Noted                                                                                                                                                                                                                                                                                                                                             |

For Chettinad Cement Corporation Pvt. Ltd

  
N Venkat Raju  
Joint President